



Advanced Laboratories, Inc.

40 West Louise Ave.
Salt Lake City, UT 84115
801-485-1800 Fax 801-484-9211

Test Certificate

Sample Description: Granulated Krystal Salt
Sample ID: Test Sample 2
Sample Lot No: Test Sample 2
Location:
Received Date: 12/21/07 11:24
Completed Date: 1/21/2008

Client Name: Power Organics
and Address: 301 S. Old Stage Rd.
Mt. Shasta, CA 96067
Lab No: 35739-02

Analysis	Result	Per Unit	Method
Aluminum	26.5	ppm	ICP-MS/ICP-OES
Antimony	0.338	ppm	ICP-MS/ICP-OES
Arsenic	<0.2	ppm	ICP-MS/ICP-OES
Barium	<0.05	ppm	ICP-MS/ICP-OES
Beryllium	<0.02	ppm	ICP-MS/ICP-OES
Bismuth	<0.05	ppm	ICP-MS/ICP-OES
Boron	9.26	ppm	ICP-MS/ICP-OES
Bromine	11.9	ppm	IC
Cadmium	<0.05	ppm	ICP-MS/ICP-OES
Calcium	1,280	ppm	ICP-MS/ICP-OES
Carbon	721	ppm	ICP-MS/ICP-OES
Cerium	0.882	ppm	ICP-MS/ICP-OES
Cesium	0.630	ppm	ICP-MS/ICP-OES
Chloride	575,000	ppm	IC
Chromium	<0.05	ppm	ICP-MS/ICP-OES
Cobalt	0.061	ppm	ICP-MS/ICP-OES
Copper	0.082	ppm	ICP-MS/ICP-OES
Dysprosium	0.036	ppm	ICP-MS/ICP-OES
Erbium	0.191	ppm	ICP-MS/ICP-OES
Europium	<0.01	ppm	ICP-MS/ICP-OES
Fluoride	3.85	ppm	IC
Gadolinium	0.92	ppm	ICP-MS/ICP-OES
Gallium	0.019	ppm	ICP-MS/ICP-OES
Germanium	0.188	ppm	ICP-MS/ICP-OES
Gold	0.011	ppm	ICP-MS/ICP-OES
Hafnium	0.008	ppm	ICP-MS/ICP-OES
Holmium	0.010	ppm	ICP-MS/ICP-OES
Indium	0.092	ppm	ICP-MS/ICP-OES
Iodine	26.5	ppm	ICP-MS/ICP-OES



Advanced Laboratories, Inc.

40 West Louise Ave.
Salt Lake City, UT 84115
801-485-1800 Fax 801-484-9211

Iridium	<0.01	ppm	ICP-MS/ICP-OES
Iron	0.438	ppm	ICP-MS/ICP-OES
Lanthanum	0.096	ppm	ICP-MS/ICP-OES
Lead	<0.05	ppm	ICP-MS/ICP-OES
Lithium	0.180	ppm	ICP-MS/ICP-OES
Lutetium	0.007	ppm	ICP-MS/ICP-OES
Magnesium	489	ppm	ICP-MS/ICP-OES
Manganese	65.2	ppm	ICP-MS/ICP-OES
Mercury	<0.005	ppm	ICP-MS/ICP-OES
Molybdenum	<0.05	ppm	ICP-MS/ICP-OES
Neodymium	0.013	ppm	ICP-MS/ICP-OES
Nickel	0.226	ppm	ICP-MS/ICP-OES
Niobium	<0.2	ppm	ICP-MS/ICP-OES
Osmium	<0.005	ppm	ICP-MS/ICP-OES
Palladium	<0.005	ppm	ICP-MS/ICP-OES
Phosphorous	23.8	ppm	ICP-MS/ICP-OES
Platinum	<0.005	ppm	ICP-MS/ICP-OES
Potassium	874	ppm	ICP-MS/ICP-OES
Praseodymium	0.037	ppm	ICP-MS/ICP-OES
Rhenium	<0.005	ppm	ICP-MS/ICP-OES
Rhodium	<0.005	ppm	ICP-MS/ICP-OES
Rubidium	10.3	ppm	ICP-MS/ICP-OES
Ruthenium	0.019	ppm	ICP-MS/ICP-OES
Samarium	0.662	ppm	ICP-MS/ICP-OES
Scandium	0.013	ppm	ICP-MS/ICP-OES
Selenium	<0.2	ppm	ICP-MS/ICP-OES
Silicon	77.5	ppm	ICP-MS/ICP-OES
Silver	<0.05	ppm	ICP-MS/ICP-OES
Sodium	389,500	ppm	ICP-MS/ICP-OES
Strontium	7.49	ppm	ICP-MS/ICP-OES
Sulfur	5,090	ppm	ICP-MS/ICP-OES
Tantalum	0.015	ppm	ICP-MS/ICP-OES
Tellurium	0.162	ppm	ICP-MS/ICP-OES
Terbium	0.008	ppm	ICP-MS/ICP-OES
Thallium	<0.2	ppm	ICP-MS/ICP-OES
Thorium	<0.2	ppm	ICP-MS/ICP-OES
Thulium	<0.005	ppm	ICP-MS/ICP-OES
Tin	0.728	ppm	ICP-MS/ICP-OES
Titanium	0.105	ppm	ICP-MS/ICP-OES
Tungsten	<0.2	ppm	ICP-MS/ICP-OES
Vanadium	<0.05	ppm	ICP-MS/ICP-OES
Ytterbium	0.038	ppm	ICP-MS/ICP-OES
Yttrium	0.078	ppm	ICP-MS/ICP-OES




Advanced Laboratories, Inc.

40 West Louise Ave.
Salt Lake City, UT 84115
801-485-1800 Fax 801-484-9211

Zinc	<0.05	ppm	ICP-MS/ICP-OES
Zirconium	<0.2	ppm	ICP-MS/ICP-OES

THESE RESULTS ARE ASSIGNED ONLY TO THE SAMPLE SUBMITTED NOT TO THE PRODUCT IT WAS TAKEN FROM.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM THE LABORATORY.

Results Approved By: 

Dated: 1/21/2008